

"Eurofins Labtarna Lietuva", UAB

Kauno str.1A , LT-01314 Vilnius, Lithuania
 info@labtarna.lt, www.labtarna.lt
 Tel.: +370 5 213 0726

GAFTA and FOSFA
LABORATORY-MEMBER

ANALYSIS REPORT No. TP20-03096
2020-02-25
Customer:
Nordic Med Can AB
Eriksgatan 4, 52 135 Falköping - SWEDEN,

Sampling date: 2020-01-29

Sample received: 2020-01-29

Analyses started: 2020-02-05

Analyses completed: 2020-02-14

Sampled by: Nordic Med Can AB



Request No. U20-00797

Request date: 2020-01-29

Sample No.	Testing object	Analysis	Result
M20-03696	5. Eletta Campana, 2020-01-23, 350 g	Arsenic SVP 051 CHE	<0.015 mg/kg
		Cadmium SVP 051 CHE	0.057 mg/kg
		Lead SVP 051 CHE	<0.015 mg/kg
		Mercury content LST EN 13806:2002	<0.008 mg/kg

Analysis results refer only to analysed samples. The test results shall not be reproduced except in full without written permission of "Eurofins Labtarna Lietuva", UAB. The client has the right to complain within 14 days from receipt of the analysis report. (A) – accredited method. (K) – analysis performed by Klaipėda site (Birutės str. 12, Klaipėda) . (S) – analysis performed by subcontractors. DMB – dry matter basis. < – concentration below the limit of quantification (LOQ). Expanded measurement uncertainty expressed as standard uncertainty multiplied by the coverage factor $k = 2$, representing 95% confidence level. The contributions of sampling on measurement of uncertainty are not considered.

This analysis certificate replaces analysis certificate No. TP20-02327 (2020.02.14). Analysis certificate No. TP20-02327 is not valid.

Results confirmed by: Vaidas Morkūnas, Head of Chemistry department Margarita Kartašovienė, Microbiologist Rasa Buchvalovienė, Head of Microbiology Department	Issued by Customer Support Department: Dalia Meidutė-Jakubickienė, 2020-02-25 	
---	---	---