

CERTIFICATE OF ANALYSIS No.: 2023-10971

CLIENT

Nordic Med Can AB, Eriksgatan 4
52135 Falköping, Sweden

SAMPLE *

Tiborszallasi 1/2023



Sample condition: SUITABLE
Sample ID: 2303035
Sample type: Plant material
Batch No.: *

Work order: 2023-107233
Analysis ID: 2023_015
Method ID: PHL_RPC_16C
Method SOP: MET-LAB-003-02

Sample received: 17/01/2023
Start of analysis: 19/01/2023
End of analysis: 20/01/2023
Analyst: Blaž Janežič

* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	n/a	n/a	_____
CBDA - Cannabidiolic acid	0.268	0.046	█_____
CBGA - Cannabigerolic acid	0.052	0.016	_____
CBG - Cannabigerol	0.91	0.12	██_____
CBD - Cannabidiol	7.81	0.39	██████████
THCV - Tetrahydrocannavarin	< LOQ	n/a	_____
CBN - Cannabinol	0.055	0.012	_____
Δ⁹-THC - Δ-9-Tetrahydrocannabinol	0.289	0.049	█_____
Δ⁸-THC - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	_____
CBL - Cannabicyclol	< LOQ	n/a	_____
CBC - Cannabichromene	0.304	0.052	█_____
Δ⁹-THCA - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	_____
CBE - Cannabielsoin	0.110 #	0.025	_____
CBV - Cannabivarin	< LOQ #	n/a	_____
CBCA - Cannabichromenic acid	< LOQ #	n/a	_____
CBT - Cannabicitran	0.074 #	0.016	_____

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:


20/01/2023

Approved by:



mag. Janja Ahej
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate